

[Sign in](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

iso 7816

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 637,000 for **iso 7816**. (0.13 seconds)**ISO-7816 Card Readers**

www.Didya.com ISO-7816 Smart Card Readers and programmers plus much more!

Sponsored Link

Sponsored Links

Iso 7816Looking for **Iso 7816**?Find exactly what you want today.
www.eBay.com**ISO 7816 Smart Card Standard, links to ISO7816 parts****7816 1-5**ISO 7816 parts 1-5: ISO7816 smart card standard from Cardwerk Smartcard software development, integration and consulting site.
www.cardwerk.com/smartcards/smartcard_standard_ISO7816.aspx - 9k - [Cached](#) - [Similar pages](#)**Download ISO Standards**The complete ISO standards organized in 43 categories.
www.ansi.org**ISO/IEC 7816-4 (first edition 1995-09-01)**ISO/IEC 7816 Part 4: Interindustry command for interchange ... For the purposes of this part of ISO/IEC 7816, the following definitions apply : ...
www.ttfn.net/techno/smartcards/[iso7816_4.html](#) - 206k - [Cached](#) - [Similar pages](#)**Iso 7816**

Find, compare & buy

Compare & Buy from 1000's of Stores
www.shopping.com**ISO 7816 1/2/3**ISO 7816 1/2/3. ... ISO7816 (part 1-3) asynchronous smartcard information ... ISO7816-3 which define the electrical signals and transmission protocols. ...
www.ttfn.net/techno/smartcards/[iso7816123.html](#) - 59k - [Cached](#) - [Similar pages](#)**ISO 7816 - Wikipedia, the free encyclopedia**ISO 7816 is an international standard related to electronic identification ... ISO/IEC 7816-4:2005 is independent from the physical interface technology. ...
en.wikipedia.org/wiki/[ISO_7816](#) - 32k - [Cached](#) - [Similar pages](#)**Smart Card Basics**Almost all standards refer to the ISO 7816-1,2 & 3 as a base reference. ... ISO 7816-7: Inter-industry command for Structured Card Query Language (SCQL); ...
www.smartcardbasics.com/standards.html - 15k - [Cached](#) - [Similar pages](#)**Didya.com ISO7816 STANDARD DEFINITION**Smart card, Smart card reader and smart card programmer Questions? Smart card development kits, Biometrics. Our mission is to bring our customers the best ...
www.didya.com/iso-7816.asp - 87k - [Cached](#) - [Similar pages](#)**ISO 7816 Contact Cards**For an in depth explanation of the ISO 7816 Specifications - Click HERE ... Brief Description: ISO7816 Standard smart card 8K size cards priced per card. ...
www.smartcardsupply.com/Content/Cards/[ISO7816.htm](#) - 53k - [Cached](#) - [Similar pages](#)**Maxking - ISO7816 Parts 1 to 3**DVD Mods - PSX Chips - play Station Goods - Web Design - Smartcard software for ISO7816 cards and Web Site Designers.
www.maxking.com/iso78161.htm - 88k - [Cached](#) - [Similar pages](#)**DirecTV Defense**

An ISO 7816 "emulator" is simple a circuit board that is designed to the ISO 7816 ... Thus, it

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	"3806874".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:44
L2	2	"6343743".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L3	2	"5850524".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L4	2	"5917909".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L5	2	"4985921".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L6	165	380/270.ccls. and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L7	5	L6 and ((bidirectional or "bi-directional") with (channel or path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L8	347	713/168,169,185.ccls. and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57

EAST Search History

L9	1874896	("data carrier" or memory or card)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L10	10425	L9 and ((bidirectional or "bi-directional") with (channel or path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L11	2903	L10 and (authenticat\$3 or verify\$3 or verification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L12	125	L11 and (ISO with standard)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L13	1	L8 and L12	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L14	5	L12 and (mutual with (authenticat\$3 or verification or verify\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L15	43	L12 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L16	3	L8 and L11	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57

EAST Search History

L17	2023	(computer or "data carrier" or memory or card or host) with ((bidirectional or "bi-directional") with (channel or path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L18	441	L17 and modulat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L19	153	L18 and (authenticat\$3 or verification or verify\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L20	80	L19 and @ad<"19990909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L21	318	(separate with (authenticat\$3 or verify\$3 or verification) with (channel or path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L22	108	L21 and @ad<"19990909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L23	63	"smart card" with "mutual authentication"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L24	13	L23 and @ad<"19990909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57

EAST Search History

L25	4	("5852653" or "4837556").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L26	2	"5763869".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L27	2	wo-9415318-\$ did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L28	11941	380/270.ccls. or 713/168-171,185. ccls. or 725/25.ccls. or 709/208, 211-216.ccls. or 726/2-9,16-17,20, 27-29.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L29	2584	L28 and @ad<"19980907"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L30	419767	(two or multiple) with (channel)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L31	12973	L30 and (bidirectional)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L32	4847	L31 and ((flash or card or memory or rom or ram) with (channel or port))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57

EAST Search History

L33	38	L29 and L32	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L34	1877	(authentication with channel) and (data with channel)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L35	51	L34 and L29	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L36	0	L33 and L35	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L37	3	L35 and (bidirectional)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L38	18570	(separate or two or multiple) with (bidirectional or (two adj1 way)) with (path or channel or port)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L39	2040	L38 and ((data adj1 storage) or (smart adj1 card))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L40	122	L39 and ((validation or authentication) with (channel or port or path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57

EAST Search History

L41	28	L40 and @ad<"19980907"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L42	96946	(modulat\$3 with (channel or path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L43	11941	380/270.ccls. or 713/168-171,185. ccls. or 725/25.ccls. or 709/208, 211-216.ccls. or 726/2-9,16-17,20, 27-29.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L44	2584	L43 and @ad<"19980907"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L45	113	L42 and L44	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L46	2	"5553239".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L47	21741	(client or pda or (smart adj1 card) or (storage)) with (authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L48	1911	L47 and (second or multiple) with (server) with ((log adj1 on) or verify or verificat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57

EAST Search History

L49	83	L48 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L50	13	L49 and (logical with (path or channel))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L51	4568	(pda or (smart adj1 card) or palm) with (authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L52	345	L51 and (second or multiple) with (server) with ((log adj1 on) or verify or verificat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L53	3	L52 and (logical with (path or channel))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L54	0	L53 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L55	12	L52 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L56	6294	((data adj2 carrier) or (smart adj2 card) or (pda) or (portable adj2 device)) with (authenticat\$3 or authenticity or validat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57

EAST Search History

L57	511	L56 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L58	2	L57 and (logical with (path or channel))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L59	2	L57 and (bidirectional with (path or channel))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L60	48	L57 and iso	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L61	444	wireless with logical with (channel or path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L62	26	L61 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L63	5565	wireless with multiple with (channel or path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L64	420	L63 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57

EAST Search History

L65	44	L64 and logical with (channel or path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L66	637	modulat\$3 with ISO	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L67	67	L66 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L68	2	"5850524".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L69	2	WO-9534054-\$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
L70	6	"5894425".pn. or "3806874".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:57
S1	2	"6343743".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:44
S2	2	"5850524".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:49

EAST Search History

S3	2	"5917909".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:33
S4	2	"4985921".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:38
S5	165	380/270.ccls. and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:48
S6	5	S5 and ((bidirectional or "bi-directional") with (channel or path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:36
S7	346	713/168,169,185.ccls. and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:47
S8	1657945	("data carrier" or memory or card)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:36
S9	8973	S8 and ((bidirectional or "bi-directional") with (channel or path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:36
S10	2477	S9 and (authenticat\$3 or verify\$3 or verification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:37

EAST Search History

S11	108	S10 and (ISO with standard)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:40
S12	1	S7 and S11	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:38
S13	4	S11 and (mutual with (authenticat\$3 or verification or verify\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:38
S14	43	S11 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:40
S15	3	S7 and S10	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:47
S16	1834	(computer or "data carrier" or memory or card or host) with ((bidirectional or "bi-directional") with (channel or path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 09:44
S17	406	S16 and modulat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 09:46
S18	142	S17 and (authenticat\$3 or verification or verify\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 09:48

EAST Search History

S19	80	S18 and @ad<"19990909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 09:51
S20	271	(separate with (authenticat\$3 or verify\$3 or verification) with (channel or path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 09:52
S21	107	S20 and @ad<"19990909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 09:52
S22	44	"smart card" with "mutual authentication"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:41
S23	12	S22 and @ad<"19990909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:41
S24	4	("5852653" or "4837556").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 19:40
S25	2	"5763869".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:29
S26	2	wo-9415318-\$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:34

EAST Search History

S27	10294	380/270.ccls. or 713/168-171,185. ccls. or 725/25.ccls. or 709/208, 211-216.ccls. or 726/2-9,16-17,20, 27-29.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:39
S28	2570	S27 and @ad<"19980907"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:41
S29	400998	(two or multiple) with (channel)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:41
S30	12144	S29 and (bidirectional)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:41
S31	4568	S30 and ((flash or card or memory or rom or ram) with (channel or port))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:42
S32	38	S28 and S31	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:48
S33	1633	(authentication with channel) and (data with channel)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:43
S34	51	S33 and S28	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:43

EAST Search History

S35	0	S32 and S34	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:43
S36	3	S34 and (bidirectional)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:43
S37	17703	(separate or two or multiple) with (bidirectional or (two adj1 way)) with (path or channel or port)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:49
S38	1895	S37 and ((data adj1 storage) or (smart adj1 card))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:50
S39	110	S38 and ((validation or authentication) with (channel or port or path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:50
S40	28	S39 and @ad<"19980907"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:50
S41	91442	(modulat\$3 with (channel or path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 12:25
S42	10318	380/270.ccls. or 713/168-171,185. ccls. or 725/25.ccls. or 709/208, 211-216.ccls. or 726/2-9,16-17,20, 27-29.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 12:26

EAST Search History

S43	2570	S42 and @ad<"19980907"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 12:26
S44	112	S41 and S43	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 12:26
S45	2	"5553239".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 09:07
S46	19254	(client or pda or (smart adj1 card) or (storage)) with (authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:07
S47	1683	S46 and (second or multiple) with (server) with ((log adj1 on) or verify or verificat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:07
S48	83	S47 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:07
S49	13	S48 and (logical with (path or channel))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:07
S50	4060	(pda or (smart adj1 card) or palm) with (authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:07

EAST Search History

S51	284	S50 and (second or multiple) with (server) with ((log adj1 on) or verify or verificat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:07
S52	3	S51 and (logical with (path or channel))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:07
S53	0	S52 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:08
S54	12	S51 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:08
S55	5631	((data adj2 carrier) or (smart adj2 card) or (pda) or (portable adj2 device)) with (authenticat\$3 or authenticity or validat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:47
S56	507	S55 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:49
S57	2	S56 and (logical with (path or channel))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:48
S58	2	S56 and (bidirectional with (path or channel))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:49

EAST Search History

S59	48	S56 and iso	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 09:49
S60	395	wireless with logical with (channel or path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 10:37
S61	25	S60 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 10:37
S62	4873	wireless with multiple with (channel or path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 10:37
S63	418	S62 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 10:37
S64	44	S63 and logical with (channel or path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 10:37
S65	591	modulat\$3 with ISO	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 12:20
S66	67	S65 and @ad<"19970909"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 12:20

EAST Search History

S67	2	"5850524".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 13:09
S68	2	WO-9534054-\$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 13:09
S69	5	"5894425".pn. or "3806874".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 15:55